



**Model: Mosh-19-M**





## Features

- \* 19" TFT LCD Monitor
- \* Elegant design with durable and light plastic construction
- \* Multiple video inputs are suitable for more applications
- \* Ambient light sensor (ALS) detects ambient light for automated screen adjustments to optimize viewing.
- \* Remote control for OSD functions ( optional)
- \* Picture-in-Picture (PIP) function
- \* Supports panel, wall, rack or VESA stand mounting (Optional)
- \* Supports RS-232 or USB touch screen panel (Optional)
- \* IP 64 compliant plastic front panel



Display Size	19"
Max Resolution	1280 x 1024 (SXGA)
Brightness (cd/m <sup>2</sup> )	300
Contrast Ratio	800:1
LCD Color	16.7M
Pixel Pitch (mm)	0.294(H) x 0.294(V)
Viewing Angle (H/V)	160°/160°
Backlight MTBF ( Hrs)	50000
Input Video Signal Connector	1. BNC Connector (NTSC/PAL) 2. YPbPr 3. S-Video 4. VGA 5. DVI
Extension	1. Ambient Light Sensor 2. IR Sensor (Remote Control)
Contraction	Aluminum 6061-T6
Chassis material	
On Screen Display (OSD)	1. OSD Keypad below the Front Panel 2. Remote Control for OSD Functions
User's Controls	<b>OSD Buttons: Power, Left, Up, Down, Right ,Menu</b> OSD: Image (Brightness, Contrast ,Sharpness), Display (Auto Adjust, Phase, Clock, Display Control) PIP(Pip On/Off, Pip Input Select, Pip Size, Pip Position ,Pip Color Controls, Blend) Color (Auto Color, Color Temperature, s RGB) System(Audio, Factory Reset , Information, Input select, Misc)
Mounting	Wall mounting (VESA 100 x 100mm)
Dimension (WxHxD) (mm)	469.94 x 382.46 x 67 ( without military connector)
Net Weight (Kg)	8.8Kg